


12.9

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)



d	5g 6g	M3		M4		M5		M6	
D		5,5		7		8,5		10	
s		2,5		3		4		5	
k		3		4		5		6	
b		18		20		22		24	
L	quantity	100	1000+	100	1000+	100	1000+	100	1000+
(22)		19.80	15.80						
25		17.40	12.50						
30		25.25	18.20	16.60	12.-	16.60	12.-		
35		28.25	21.-	17.40	12.50	16.80	12.10	17.70	12.70
40		34.75	26.-	18.90	13.60	17.90	12.90	17.90	12.90
45		38.-	30.50	25.75	18.50	21.-	15.-	21.20	15.20
50		41.-	33.60	25.75	18.50	28.25	20.25	24.25	17.40
55				46.50	34.50	31.50	23.50	31.75	23.75
60				50.50	37.75	32.-	23.75	31.75	23.75
65				68.50	53.50	48.-	36.50	36.-	27.-
70				53.50	40.-	44.-	32.75	45.50	34.-
(75)				79.50	61.-	77.-	60.-	54.50	41.-
80				88.-	67.50	78.50	61.-	57.-	43.-
90				240.-	180.-	111.-	86.50	66.-	49.50
(95)								92.50	70.-
100				380.-	310.-	112.-	87.50	75.-	58.-
110						194.-	158.-	119.-	93.-
120						212.-	173.-	128.-	99.50
130								196.-	150.-
140						288.-	234.-	245.-	187.-
150								294.-	230.-
160								450.-	352.-
(165)								470.-	368.-
(175)								545.-	425.-
180								640.-	500.-
(185)								885.-	685.-
190								680.-	525.-
200								820.-	635.-

+ 10% discount for 10 000 pieces per item

----- Above dash-line: as long as stock is available only (VSM 13311)

Maryland Metrics Fastener Catalog - Chapter C Owings Mills, MD 21117 USA


phones: (410)358-3130 (800)638-1830 faxes: (410)358-3142 (800)872-9329 e-mail: techinfo@mdmetric.com

12.9

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)



d	5g 6g	M8		M10		M12		(M14)
D		13		16		18		21
s		6		8		10		12
k		8		10		12		14
b		28		32		36		40
L	quantity	100	1000+	100	1000+	100	1000+	100
40		27.-	19.40					
45		27.75	20.75	43.-	32.-			
50		29.50	22.-	45.-	33.75			
55		34.-	25.50	49.50	37.-	70.50	55.-	
60		35.75	26.75	49.50	37.-	70.50	55.-	148.-
65		45.50	34.75	57.-	42.50	76.50	59.-	199.-
70		47.50	36.25	56.50	42.-	76.50	59.-	159.-
(75)		63.50	47.50	73.-	56.50	93.-	74.50	216.-
80		64.50	48.50	67.50	52.50	83.-	64.50	179.-
(85)		120.-	93.-	117.-	91.-	150.-	132.-	276.-
90		77.50	54.50	85.50	66.50	105.-	82.-	192.-
(95)		138.-	107.-	153.-	118.-			
100		84.-	65.-	99.-	75.50	116.-	90.50	215.-
(105)				160.-	125.-			
110		107.-	83.-	127.-	101.-	138.-	111.-	245.-
(115)		212.-	173.-	166.-	133.-			
120		126.-	98.-	142.-	116.-	166.-	133.-	256.-
130		164.-	126.-	178.-	145.-	210.-	168.-	358.-
135		225.-	186.-					
140		174.-	139.-	197.-	159.-	223.-	181.-	376.-
150		292.-	218.-	274.-	224.-	276.-	225.-	440.-
160		324.-	249.-	310.-	252.-	372.-	304.-	520.-
170		344.-	278.-	435.-	377.-	390.-	334.-	
180		342.-	272.-	384.-	312.-	445.-	380.-	530.-
190		480.-	344.-	460.-	388.-	635.-	526.-	640.-
200		420.-	302.-	430.-	348.-	480.-	408.-	570.-
(210)				505.-		650.-		750.-
220		470.-		515.-		540.-		790.-
(230)				580.-		695.-		
240		505.-		535.-		580.-		
(250)				615.-		775.-		940.-
260		525.-		585.-		660.-		
(270)						895.-		
280		590.-		630.-		737.-		875.-
(290)						965.-		
300		635.-		695.-		782.-		925.-
320						1050.-		
340						1540.-		


+ 10% discount for 10 000 pieces per item

12.9

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)



d	5g 6g	M 16	M 18	M 20	M 22	M 24	M 27		
D		24	27	30	33	36	40		
s		14	14	17	17	19	19		
k		16	18	20	22	24	27		
b		44	48	52	56	60	66		
L	quantity	100	1000	100	100	1000	100	100	
65		139.-	113.-						
70		149.-	121.-	354.-					
(75)		175.-	142.-	386.-	372.-	325.-	1150.-		
80		171.-	138.-	342.-	274.-	223.-	1000.-		
(85)		200.-	162.-	470.-					
90		181.-	148.-	398.-	288.-	233.-	1100.-	820.-	
100		194.-	158.-	386.-	322.-	262.-	1150.-	880.-	1200.-
110		207.-	168.-	435.-	364.-	296.-	1180.-	925.-	1250.-
120		225.-	182.-	435.-	384.-	312.-	1290.-	900.-	1300.-
130		330.-	268.-	660.-	485.-	412.-	1370.-	950.-	1450.-
140		334.-	272.-	680.-	560.-	502.-	1390.-	1030.-	1560.-
150		400.-	324.-		640.-	585.-	1580.-	1100.-	1600.-
160		430.-	354.-	780.-	690.-	610.-		1130.-	1660.-
170		560.-	485.-	970.-	870.-	750.-		1580.-	
180		520.-	440.-	903.-	810.-	720.-	1650.-	1250.-	1930.-
190		705.-	575.-		1010.-	800.-		1700.-	
200		620.-	540.-	1130.-	850.-	760.-	1680.-	1380.-	2100.-
(210)		795.-			1350.-			1980.-	
220		650.-			1100.-			1550.-	
(230)		920.-			1380.-		1950.-	2010.-	
240		690.-			1130.-			1780.-	2300.-
(250)		940.-			1350.-			2160.-	
260		750.-			1240.-			1850.-	2450.-
(270)		985.-			1540.-		2200.-	2410.-	
280		820.-			1480.-			2200.-	2760.-
(290)		1030.-			1680.-			2600.-	
300		855.-			1500.-			2290.-	2800.-
320		1120.-			1610.-			2580.-	
(330)								2960.-	
340		1280.-			1670.-			2630.-	
(350)		1650.-			1730.-			2960.-	
360		1470.-			1810.-			2760.-	
(370)					1980.-				
380		1580.-			1940.-			2870.-	
400		1710.-			2060.-			3130.-	


----- Above dash-line: as long as stock is available only (VSM 13311)

12.9

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)




d	5g 6g	M 30	M 36	M 42	
D		45	54	63	
s		22	27	32	
k		30	36	42	
b		72	84	96	
L	quantity	100	100	100	
	110	1580.-			
	120	1600.-	2650.-		
	130	1650.-	2760.-	4700.-	
	140	1680.-	2890.-	4050.-	
	150	1780.-	2970.-	4470.-	
	160	1820.-	3130.-	4310.-	
	170	1890.-	3430.-		
	180	1910.-	3350.-	4680.-	
	190	2180.-	3640.-		
	200	2200.-	3600.-	5090.-	
	(210)	2770.-	4230.-		
	220	2560.-	4070.-	5650.-	
	(230)	2860.-	4600.-	6780.-	
	240	2710.-	4430.-	5980.-	
	(250)	2890.-	4620.-	6820.-	
	260	2910.-	4530.-	6130.-	
	(270)	3120.-			
	280	3070.-	5020.-	6510.-	
	300	3200.-	5300.-	7050.-	
	320	3560.-	5470.-	8120.-	
	340	3790.-	5670.-	8130.-	
	(350)	3980.-	6020.-	8290.-	
	360	4070.-	6230.-	8660.-	
	(370)	4370.-			
	380	4180.-	6600.-	8800.-	
	400	4990.-	8420.-	9100.-	

----- Above dash-line: as long as stock is available only (VSM 13311)

12.9

Socket head cap screws, steel



ISO 4762 / DIN 912
(partially threaded)

Zinc plated, baked (hydrogen embrittlement relieved)

d	5g 6g	M3		M4		M5		M6	
D		5,5		7		8,5		10	
s		2,5		3		4		5	
k		3		4		5		6	
b		18		20		22		24	
L	bei/par	100	1000	100	1000	100	1000	100	1000
25		21.50	15.30						
30		29.75	22.-	22.25	15.90	24.90	17.10		
35		33.75	25.-	24.-	17.10	25.50	18.20	28.75	21.25
40		42.-	31.25	26.25	18.80	27.50	19.50	29.75	22.25
45				32.75	24.25	30.25	22.50	33.75	25.-
50				33.-	24.50	38.50	28.50	38.-	28.25
55				59.-	43.50	44.-	32.50	49.-	36.-
60				64.50	48.-	45.-	33.50	50.50	37.50
65						59.50	44.-		
70				68.-	52.-	61.-	45.50	68.50	50.50
(75)						98.50	76.-		
80								80.-	60.50
90				89.-	82.-			90.-	69.50
100						161.-	129.-	104.-	80.50
110								151.-	122.-
120						180.-	150.-		
140								170.-	139.-
150								195.-	174.-


Zinc plated high-strength steel: refer to page T 79

+ 10% discount for 10 000 pieces per item

12.9

Socket head cap screws, steel

ISO 4762 / DIN 912
(partially threaded)



Zinc plated, baked (hydrogen embrittlement relieved)

d	5g 6g	M8		M 10		M 12
D		13		16		18
s		6		8		10
k		8		10		12
b		28		32		36
L	quantity	100	1000	100	1000	100
40		36.40	25.50			
45		40.-	28.-	66.-	47.50	
50		42.-	29.40	70.-	50.-	
55		49.60	34.80			
60		52.30	36.80	71.60	51.60	
65		62.-	43.40	76.80	53.80	
70		63.50	44.50	80.-	56.-	141.-
(75)		75.-	52.50			148.-
80		77.50	54.25	98.40	69.-	150.-
(85)				120.-	85.-	
90		80.-	56.-	115.-	80.50	
100		95.-	67.-	126.-	89.-	184.-
110		154.-	108.-			210.-
120		177.-	124.-	227.-	160.-	278.-
130		248.-	175.-	270.-	194.-	310.-
140		376.-	265.-	296.-	210.-	358.-
150				392.-	308.-	425.-
180		515.-	361.-	580.-	410.-	
200				645.-	482.-	
Zinc plated high-strength steel: refer to page T 79						


12.9

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)


Dacromet plated



d	5g 6g	M4		M5		M6		M8	
D		7		8,5		10		13	
s		3		4		5		6	
k		4		5		6		8	
b		20		22		24		28	
L	quantity	100	1000	100	1000	100	1000	100	100
30				25.50	20.40				
35				28.-	22.40	33.25	26.60		
40		26.-	20.80	29.50	23.60	35.50	28.40	49.50	
45		37.-	29.60	34.80	27.90	39.50	31.60	53.50	37.75
50		41.-	32.80	42.-	33.60	45.-	36.-	57.-	40.50
55				45.-	36.-	51.-	40.80	65.-	46.-
60				55.-	44.-	60.50	48.40	69.-	49.-
65						63.50	51.-	92.50	68.-
70				63.-	50.-	74.-	59.20	97.-	71.50
(75)								102.-	75.-
80				96.50	77.20	84.50	67.20	108.-	80.-
90				132.-	106.-	91.50	73.20	121.-	89.50
100								139.-	102.-
110								165.-	127.-
120								190.-	146.-
140						175.-	140.-		

12.9

Socket head cap screws, steel



ISO 4762 / DIN 912

(partially threaded)

Dacromet plated

d	5g 6g	M10		M12		(M14)	M16		M20
D		16		18		21	24		30
s		8		10		12	14		17
k		10		12		14	16		20
b		32		36		40	44		52
L	quantity	100	1000	100	1000	100	100	1000	100
45		100.-	74.-						
50		109.-	80.-						
55		116.-	85.-	145.-	112.-				
60		124.-	92.-	148.-	114.-				
65		130.-	96.-	176.-	135.-		346.-	266.-	
70		125.-	92.50	179.-	138.-	260.-	352.-	274.-	
(75)		131.-	97.-	185.-	145.-		410.-	316.-	
80		128.-	94.50	194.-	152.-	294.-	378.-	300.-	
(85)							424.-	330.-	
90		174.-	134.-	200.-	158.-	320.-	394.-	316.-	585.-
100		177.-	140.-	213.-	164.-	352.-	450.-	366.-	825.-
110		213.-	164.-	304.-	234.-		575.-	445.-	
120		240.-	185.-	324.-	258.-	450.-	490.-	410.-	1020.-
130		290.-	223.-	354.-	274.-		700.-	540.-	1110.-
140		316.-	243.-	382.-	294.-		750.-	580.-	1210.-
150				425.-	328.-		815.-	625.-	1390.-
160		485.-	372.-	510.-	392.-		860.-	660.-	1520.-
170				735.-	590.-				
180				750.-	610.-		960.-	740.-	1660.-
200							1040.-	810.-	