




Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles



Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue



341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Blade Size (Inch)	Blade Length (Inch)	Blade Width (mm)	Blade Thickness (mm)	Blade Length (Inch)	Weight (lbs.)	Pkg.
341 34	9/64	5.0	125	238	9.4	.18	10
341 35	5/32	5.0	125	238	9.4	.24	10
341 36	3/16	5.0	125	238	9.4	.25	10
341 37	7/32	5.0	125	238	9.4	.26	10
341 38	1/4	5.0	125	246	9.7	.38	10
341 39	5/16	5.0	125	246	9.7	.40	10
341 40	11/32	5.0	125	246	9.7	.40	10
341 41	3/8	5.0	125	246	9.7	.40	10
341 42	7/16	5.0	125	246	9.7	.40	10
341 43	1/2	5.0	125	246	9.7	.40	10
341 44	9/16	5.0	125	246	9.7	.40	10
341 45	5/8	5.0	125	246	9.7	.40	10



341 Nut Driver, With Wiha-SoftFinish® Handle
Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Blade Size (mm)	Blade Length (mm)	Blade Width (Inch)	Blade Thickness (mm)	Blade Length (Inch)	Weight (lbs.)	Pkg.
341 20	5.0	125	5.0	238	9.4	.14	10
341 21	5.5	125	5.0	238	9.4	.14	10
341 22	6.0	125	5.0	238	9.4	.15	10
341 23	7.0	125	5.0	238	9.4	.25	10
341 24	8.0	125	5.0	238	9.4	.25	10
341 25	9.0	125	5.0	238	9.4	.26	10
341 26	10.0	125	5.0	238	9.4	.27	10
341 27	11.0	125	5.0	247	9.7	.37	10
341 28	12.0	125	5.0	247	9.7	.40	10
341 29	13.0	125	5.0	247	9.7	.40	10
341 30	14.0	125	5.0	247	9.7	.40	10
341 31	15.0	125	5.0	247	9.7	.40	10



#34193



#34195

341 93 Set 7 Pcs. Nut Driver Inch Sizes

Blade chrome-vanadium-molybdenum steel, hardened. Deep drawn 1" socket. Wiha-SoftFinish® handle, multi-component.

Item No.	Blade Size (Inch)	Blade Length (Inch)	Blade Width (Inch)	Blade Thickness (Inch)	Weight (lbs.)		
341 93	341 36	3/16	5.0	341 41	3/8	5.0	1.89
	341 38	1/4	5.0	341 42	7/16	5.0	
	341 39	5/16	5.0	341 43	1/2	5.0	
	341 40	11/32	5.0				

341 95 Set 10 Pcs. Nut Driver Inch Sizes

Item No.	Blade Size (Inch)	Blade Length (Inch)	Blade Width (Inch)	Blade Thickness (Inch)	Weight (lbs.)		
341 95	341 36	3/16	5.0	341 41	3/8	5.0	3.16
	341 37	7/32	5.0	341 42	7/16	5.0	
	341 38	1/4	5.0	341 43	1/2	5.0	
	341 39	5/16	5.0	341 44	9/16	5.0	
	341 40	11/32	5.0	341 45	5/8	5.0	



341 94 Set 7 Pcs. Nut Driver Metric Sizes

Item No.	Blade Size (mm)	Blade Length (mm)	Blade Width (mm)	Blade Thickness (mm)	Weight (lbs.)		
341 94	341 20	5.0	125	341 24	8.0	125	1.89
	341 21	5.5	125	341 26	10.0	125	
	341 22	6.0	125	341 29	13.0	125	
	341 23	7.0	125				

Wiha SoftFinish® Heavy Duty Nut Drivers



347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle
Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item							
No.	mm	mm	mm	mm	Inch	lbs.	pkg.
347 12	7.0	125	10.0	238	9.4	.25	10
347 15	8.0	125	10.0	238	9.4	.25	10
347 18	9.0	125	10.0	238	9.4	.26	10
347 21	10.0	125	10.0	238	9.4	.27	10
347 24	11.0	125	13.0	247	9.7	.37	10
347 27	12.0	125	13.0	247	9.7	.40	10
347 30	13.0	125	13.0	247	9.7	.40	10
347 33	14.0	125	13.0	247	9.7	.40	10



347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item								
No.	Inch	Inch	mm	Inch	mm	Inch	lbs.	pkg.
347 53	3/16	5.0	125	5/16	231	9.1	.18	10
347 59	1/4	5.0	125	3/8	238	9.4	.24	10
347 65	5/16	5.0	125	3/8	238	9.4	.25	10
347 71	3/8	5.0	125	3/8	238	9.4	.26	10
347 74	7/16	5.0	125	1/2	246	9.7	.38	10
347 77	1/2	5.0	125	1/2	246	9.7	.40	10



347 91 Set 5 Pcs. Nut Driver Metric Sizes

Blade chrome-vanadium-molybdenum steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item						
No.	mm	mm	mm	mm	lbs.	
347 91	341 20*	5.0	125	347 21	10.0	1.42
	341 22*	6.0	125	347 24	11.0	1.42
	347 15	8.0	125			

*Standard blade - no hex bolster.



347 92 Set 6 Pcs. Nut Driver Inch Sizes

Item						
No.	Inch	Inch	Inch	Inch	lbs.	
347 92	347 53	3/16	5.0	347 71	3/8	5.0
	347 59	1/4	5.0	347 74	7/16	5.0
	347 65	5/16	5.0	347 77	1/2	5.0



Wiha SoftFinish® Nut Drivers - Hollow Shaft



343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item No.	⊙ Inch	⊖ Inch	⊖ mm	⊖ mm	⊖ Inch	⊖ lbs.	⊖ pkg.
343 36	3/16	2.75	70	175	7.0	.18	10
343 38	1/4	2.75	70	175	7.0	.24	10
343 39	5/16	2.75	70	175	7.0	.25	10
343 40	11/32	2.75	70	182	7.5	.25	10
343 41	3/8	2.75	70	182	7.5	.26	10
343 42	7/16	2.75	70	187	7.6	.38	10
343 43	1/2	2.75	70	187	7.6	.40	10



343 90 Set 7 Pcs. Hollow Shaft Nut Driver Inch Sizes

Item No.	⊙ Inch	⊖ Inch	⊖ Inch	⊖ Inch	⊖ lbs.	
343 90	343 36	3/16	2.75	343 41	3/8 2.75	1.55
	343 38	1/4	2.75	343 42	7/16 2.75	
	343 39	5/16	2.75	343 43	1/2 2.75	
	343 40	11/32	2.75			



Inch Color Coded To Size

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Heavy duty hollow shaft - 3.7" depth
- Hardened for maximum torque and wear resistance
- Chrome plated anti corrosion finish



343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.	⊙ mm	⊖ mm	⊖ mm	⊖ Inch	⊖ lbs.	⊖ pkg.
343 02	5.0	70	175	7.0	.14	10
343 04	5.5	70	175	7.0	.14	10
343 06	6.0	70	175	7.0	.15	10
343 08	7.0	70	182	7.5	.25	10
343 10	8.0	70	182	7.5	.25	10
343 12	10.0	70	187	7.6	.27	10
343 14	13.0	70	187	7.6	.40	10



343 91 Set 7 Pcs. Hollow Shaft Nut Driver Metric Sizes


Item No.	⊙ mm	⊖ mm	⊖ mm	⊖ mm	⊖ lbs.
343 91	343 02	5.0	70	343 10	8.0 70 1.41
	343 04	5.5	70	343 12	10.0 70
	343 06	6.0	70	343 14	13.0 70
	343 08	7.0	70		

Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	mm	mm	mm	lbs.	pkg.
336 03	6.0	125	100	.16	10
336 06	8.0	125	100	.18	10
336 07	8.0	200	100	.22	10
336 09	9.0	125	100	.23	10
336 12	10.0	125	100	.24	10
336 14	10.0	230	100	.26	10
336 20	12.0	125	100	.26	10
336 22	13.0	125	100	.27	10



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	Inch	Inch	Inch	lbs.	pkg.
336 53	3/16	6.0	4.0	.16	10
336 59	1/4	6.0	4.0	.18	10
336 65	5/16	6.0	4.0	.19	10
336 71	3/8	6.0	4.0	.20	10
336 74	7/16	6.0	4.0	.26	10
336 77	1/2	6.0	4.0	.30	10



336 91 Set 5 Pc. Nut Driver T-handle Metric Sizes Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item							
No.	mm	mm	mm	mm	mm	lbs.	
336 91	336 03	6.0	125	336 12	10.0	125	1.57
	336 06	8.0	125	336 22	13.0	125	
	336 09	9.0	125				



336 90 Set 6 Pc. Nut Driver T-handle Inch Sizes Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item							
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
336 90	336 53	3/16	6.0	336 71	3/8	6.0	1.58
	336 59	1/4	6.0	336 74	7/16	6.0	
	336 65	5/16	6.0	336 77	1/2	6.0	



388 00 Bit Holder With Wiha T-handle Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft chrome-vanadium-molybdenum steel, nickel-plated. Wiha T-handle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
388 00	1/4	150	6.0	80	3.0	.18	1